

Grades Kindergarten–6^{††}

In ungraded classrooms, Kindergarten requirements apply to all students ≥5 years.

DTaP/Tdap	5 doses; 4 doses are acceptable if the fourth dose is given on or after the 4 th birthday; DT is only acceptable with a letter stating a medical contraindication to DTap
Polio	4 doses; fourth dose must be given on or after the 4 th birthday and ≥6 months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 th birthday and ≥6 months after the previous dose
Hepatitis B	3 doses; laboratory evidence of immunity acceptable
MMR	2 doses; first dose must be given on or after the 1 st birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	2 doses; first dose must be given on or after the 1 st birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

§ Address questions about enforcement with your legal counsel.

* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

Grades 7–12[†]

In ungraded classrooms, Grade 7 requirements apply to all students ≥12 years.

Tdap	1 dose; and history of DTap primary series or age-appropriate catch-up vaccination; Tdap given at ≥7 years may be counted, but a dose at age 11–12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been ≥10 years since last Tdap
Polio	4 doses; fourth dose must be given on or after the 4 th birthday and ≥6 months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 th birthday and ≥6 months after the previous dose
Hepatitis B	3 doses; laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	2 doses; first dose must be given on or after the 1 st birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	2 doses; first dose must be given on or after the 1 st birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
Meningococcal Grade 7–10	1 dose; this dose must be given on or after the 10 th birthday. Meningococcal conjugate vaccine, MenACWY (formerly MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement
Meningococcal Grade 11–12[‡]	2 doses; second dose MenACWY (formerly MCV4) must be given on or after the 16 th birthday and ≥ 8 weeks after the previous dose; 1 dose is acceptable if it was given on or after the 16 th birthday. Meningococcal conjugate vaccine, MenACWY (MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement

§ Address questions about enforcement with your legal counsel.

* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

‡ Students who are 15 years old in Grade 11 are in compliance until they turn 16 years old.